

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: McKesson Premium Instant Hand Sanitizer
MFR #: 53-28032-4, 53-28033-8, 53-28035-1000, 53-28037-18

DISTRIBUTED BY: McKesson Medical-Surgical Inc.
9954 Mayland Drive, Suite 4000
Richmond, Virginia 23233

INFORMATION LINE: 1-800-777-4908
Monday – Friday 8:00 a.m. – 6:00 p.m. EST

EMERGENCY PHONE: 1-800-451-8346 (3E Company)
Day or night

PRODUCT DESCRIPTION: A gelled alcohol hand sanitizer for hand washing to decrease bacteria on the skin

2. HAZARDS IDENTIFICATION

Classification

Flammable Liquids

Category 2

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor

**Appearance:** Clear blue gel**Physical State** Gel**Odor** Alcohol

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethanol	64-17-5	70

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	If skin irritation occurs, rinse affected area with water.
Inhalation	Remove to fresh air.
Ingestion	Dilute by giving a large amount of water. Call a physician or Poison Control Center.

Most important symptoms and effects

Symptoms	Exposed individuals may experience eye tearing, redness and discomfort. May cause gastrointestinal disturbance. Inhalation may cause giddiness or loss of consciousness.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Alcohol resistant foam. Dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Vapors may travel to source of ignition and flash back. Alcohol flames may be difficult to see; the flames are virtually colorless.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use cool water to cool equipment and to disperse vapors.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
Environmental Precautions	See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for Clean-Up

Small spills (less than 1 gallon) may be washed down a drain with lots of water or cleaned up and disposed of into a sanitary sewer system.
Large spills (more than 1 gallon) should be contained and collected (by absorption [sand, clay, or other absorbent material] or vacuuming) then disposed of properly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not contaminate food or feed stuffs. Do not reuse container. Keep out of the reach of children.

Incompatible Materials

Strong oxidizers. Hydrogen peroxide. Bromine. Chromic acid.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Glycerol 56-81-5	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection No special technical protective measures are necessary.

Respiratory Protection No protective equipment is needed under normal use conditions.

General Hygiene Considerations Do not get in eyes. Keep away from food and drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Gel	Odor	Alcohol
Appearance	Clear blue gel	Odor Threshold	Not determined
Color	blue		
Property	Values	Remarks • Method	
pH	6.00-8.00		
Melting Point/Freezing Point	Not established		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	21 °C / 70 °F	SETA	
Evaporation Rate	Not established		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not established		
Vapor Density	Not established		
Specific Gravity	.858 - .882		
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
Property	Values	Remarks • Method	
Partition Coefficient	Not determined		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	6000-10000 cps		
Explosive Properties	Not determined		

Oxidizing Properties Not determined
Density 7.15-7.35 lb/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizers. Hydrogen peroxide. Bromine. Chromic acid.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Not expected to be a skin irritant during prescribed use.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Carbomer 9003-01-4	= 2500 mg/kg (Rat)	-	-
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 21900 mg/kg (Rat)	-
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Isopropyl Myristate 110-27-0	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat)
Propylene Glycol 25322-69-4	> 2 g/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Isopropyl Alcohol (IPA) is listed as an IARC Monograph Group 3 chemical. However, IARC Group 3 chemicals are "not classifiable as human carcinogens". IPA is classified as an IARC Group 1 chemical ONLY when manufactured by the strong-acid process. The IPA used in this product is NOT manufactured by the strong-acid process and is therefore not classifiable as a human carcinogen. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol 64-17-5	A3	Group 1	Known	X

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)**
- A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
- Group 1 - Carcinogenic to Humans
- Group 3 IARC components are "not classifiable as human carcinogens"
- NTP (National Toxicology Program)**
- Known - Known Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
- X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
Carbomer 9003-01-4		580: 96 h Lepomis macrochirus mg/L LC50		168: 96 h water flea mg/L EC50
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		500: 24 h Daphnia magna mg/L EC50
Isopropyl alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Isopropyl Myristate 110-27-0	100: 72 h Desmodesmus subspicatus mg/L EC50	8400: 96 h Brachydanio rerio mg/L LC50 semi-static 8400: 96 h Brachydanio rerio mg/L LC50		100: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
---------------	-----------------------

Ethanol 64-17-5	-0.32
--------------------	-------

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethanol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

Note This product as packaged in 4oz, 8oz, 18oz & 1000mL is shipped as Limited Quantity

DOT

- UN/ID No** UN1170
- Proper Shipping Name** Ethanol solution
- Hazard Class** 3
- Packing Group** II

IATA

- UN/ID No** UN1170
- Proper Shipping Name** Ethanol solution
- Hazard Class** 3
- Packing Group** II

IMDG

- UN/ID No** UN1170
- Proper Shipping Name** Ethanol solution
- Hazard Class** 3
- Packing Group** II

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	0.25	1.0

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethanol 64-17-5	X	X	X
Glycerol 56-81-5	X	X	X
Isopropyl alcohol 67-63-0	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 0	Flammability 3	Physical Hazards 0	Personal Protection 0

Issue Date 23-JUN-2013
Revision Date: 18-SEP-2015
Revision Note New format

DISCLAIMER: This information relates onto to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use. Appropriate warnings and safe-handling procedures should be provided to handlers and users.

Federal Standard No. 313 Addendum

- Solicitation Number: RFP-797-FSS-99-0025-R10
- Contractor Name: McKesson Medical-Surgical Government Solutions LLC
- Contractor Cage Code: 1EU19
- Manufacturer: McKesson Medical-Surgical Inc.
- Manufacturer Cage Code: 7K139
- Special Item Number: A-2