

**1. IDENTIFICATION**

**Product Name:** Sani-Cloth® Prime Germicidal Disposable Wipe

**Date of Preparation:** June 1, 2017

**Recommended use of the chemical and restrictions on use:**

**Recommended use:** Use as a disinfectant on hard, nonporous surfaces. Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

**Restrictions on use:** For Professional and Hospital Use.

**Manufacturer/Supplier:** Nice-Pak/PDI, Inc.  
Two Nice-Pak Park  
Orangeburg, NY 10962-1376

**Phone Number:** 1-845-365-1700

**Emergency Phone Number:** **PERS:** 1-800-633-8253 (Domestic/Canada)  
1-801-629-0667 (International)

**2. HAZARD(S) IDENTIFICATION**

*This product is a clear, colorless liquid with a alcohol odor impregnated on a wipe in a single packet or on multiple wipes in a canister.*

**GHS Classification:**

| Physical                    | Health  | Environmental  |
|-----------------------------|---|----------------|
| Flammable Solids Category 1 | Acute Toxicity Category 4<br>Eye Irritant Category 2A<br>Specific Target Organ Toxicity<br>Single Exposure Category 3 | Not Classified |

**Label Elements:**

Danger!



**Hazard Statements:**

- Flammable solid.
- Causes serious eye irritation.
- Harmful if inhaled.
- May cause drowsiness or dizziness.

**Precautionary Statements:**

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

In case of fire: Use water fog, alcohol-resistant foam, carbon dioxide and dry chemical to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents and container in accordance with local and national regulations.

**Other Hazards:** None known.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical name                      | CAS No.   | Concentration |
|------------------------------------|-----------|---------------|
| Non-Hazardous Components           | Mixture   | 35-45%        |
| Ethyl Alcohol (Ethanol)            | 64-17-5   | 25-35%        |
| Isopropanol                        | 67-63-0   | 20-30%        |
| Didecyl dimethyl ammonium chloride | 7173-51-5 | <1%           |

### 4. FIRST-AID MEASURES

#### Description of First Aid Measures:

**Eye:** Immediately flush eyes with water for 15 minutes, while holding the eye lids open to be sure the material is washed out. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Get medical attention if irritation persists.

**Skin:** No first aid should be required. Wash skin with water. Get medical attention if irritation develops or persists.

**Inhalation:** If symptoms develop move victim to fresh air. Get medical attention if irritation or other symptoms persists.

**Ingestion:** Ingestion is unlikely for solid products. No first aid is required for small amounts transferred from hands to mouth.

**Most Important Symptoms/Effects, Acute and Delayed:** Direct contact with liquid may cause moderate eye irritation. Direct or prolonged inhalation of high concentration of vapors may cause upper respiratory tract irritation and central nervous system effects.

**Indication of Immediate Medical Attention and Special Treatment, If Necessary:** None required under normal conditions of use.

### 5. FIRE-FIGHTING MEASURES

**Suitable (and Unsuitable) Extinguishing Media:** Use water fog, alcohol-resistant foam, carbon dioxide and dry chemical.

**Specific Hazards Arising From the Chemical:** This product is a solid saturated with a flammable liquid and will burn under fire conditions. Combustion may produce oxides of carbon, nitrogen, and ammonia. Flammable vapors may be invisible in daylight.

**Special Protective Equipment and Precautions for Fire-Fighters:** Wear an approved, positive pressure, self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water. Contain runoff.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Remove all ignition sources such as open flames, spark producing equipment, pilot lights, etc. Avoid contact with eyes. Wear appropriate protective clothing as described in Section 8. Avoid breathing vapors.

**Environmental Hazards:** Avoid releases to the environment. Report spill as required by local and federal regulations.

**Methods and Materials for Containment and Cleaning Up:** Do not reuse towelette. Pick up wipe and place in an appropriate container for infectious waste disposal. Do not flush in toilet.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** None required for normal use. Avoid contact with eyes. Avoid breathing vapors. Wash hands with soap and water after use. Keep product away from heat, sparks, flames and all other sources of ignition. Keep containers closed when not in use. Refer to product label for additional information on use and handling. Follow all SDS precautions in Section 13 when handling empty containers.

**Conditions for Safe Storage, Including Any Incompatibilities:** Store in a cool, dry location away from incompatible materials. Do not store near heat or open flame. Do not contaminate water, food or feed by storage or disposal. For containers: Protect container from physical damage. When not in use keep center cap of lid closed to prevent moisture loss.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines:

|                                    |   |
|------------------------------------|---|
| Non-Hazardous Components           | None Established  |
| Ethyl Alcohol                      | 1000 ppm STEL ACGIH TLV<br>1000 ppm TWA OSHA PEL            |
| Isopropanol                        | 200 ppm TWA, 400 ppm STEL ACGIH TLV<br>400 ppm TWA OSHA PEL |
| Didecyl dimethyl ammonium chloride | None Established  |

**Appropriate Engineering Controls:** General ventilation is adequate under normal conditions of use. Refer product label for additional information.

**Individual Protection Measures, Such As Personal Protective Equipment:**

**Respiratory Protection:** None required for normal use. In case of insufficient ventilation, wear suitable respiratory equipment. Refer to product label for additional information.

**Skin Protection:** Use impervious gloves or follow facility requirements to prevent prolonged skin contact.

**Eye Protection:** If needed, wear safety goggles or other eye protection per facility protocol to avoid eye contact.

**Other:** None required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |  |
|---|--|
| <b>Appearance:</b> Clear colorless liquid impregnated on a lint free wipe | <b>Flammable limits:</b> LEL: 2.5% (Isopropanol)<br>UEL: 19.0% (Ethanol) |
| <b>Odor:</b> Alcohol odor   | <b>Vapor pressure:</b> Not available                                     |
| <b>Odor Threshold:</b> Not applicable                                     | <b>Vapor density:</b> Not available                                      |
| <b>pH:</b> 11.08 (Saturant)   | <b>Relative density:</b> 0.8974 (Saturant)                               |
| <b>Melting point/freezing point:</b> Not available                        | <b>Solubility(ies):</b> Soluble in water (Saturant)                      |
| <b>Boiling point/range:</b> 78°C (172.4°F) (Ethanol)                      | <b>Partition coefficient (n-octanol/water):</b> Not available            |
| <b>Flash point:</b> 25°C (77°F) (Saturant)                                | <b>Auto-ignition temperature:</b> 363°C (685.40°F) (Ethanol)             |
| <b>Evaporation rate:</b> Not available                                    | <b>Decomposition temperature:</b> Not available                          |
| <b>Flammability (solid, gas):</b> Not applicable                          |  |

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not reactive under normal conditions of use.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions To Avoid:** Keep away from heat, sparks, flames and other sources of ignition.

**Incompatible Materials:** Avoid contact with strong oxidizing agents and anionic surfactants.

**Hazardous Decomposition Products:** Thermal decomposition may produce oxides of carbon, nitrogen, and ammonia.

## 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects:

**Eye:** This product is expected to cause moderate irritation to eyes based on test data from the OPPTS 870.2400 Acute Eye Irritation Study which resulted in Toxicity Category II.

**Skin:** Prolonged contact may cause minimal irritation with drying and dermatitis. This is based on test data from the OPPTS 870.2500 Acute Skin irritation study which resulted in Toxicity Category IV.

**Inhalation:** Inhalation of high concentrations of vapors may cause upper respiratory tract irritation, headache, dizziness, drowsiness, confusion, and other central nervous system effects.

**Ingestion:** Ingestion is unlikely for solid products. This product contains only a small amount of liquid. No adverse effects are expected.

**Chronic Effects:** None known.

**Carcinogenicity:** Ingestion of alcoholic beverages is known to cause cancer in humans. The carcinogen classification does not apply for this product. None of the components of this product are listed as a carcinogen or suspected carcinogen by OSHA, IARC, and NTP.

**Reproductive Effects:** Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, resulting in fetal alcohol syndrome. These effects include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small head size. Reproductive harm is not expected from this product.

**Mutagenic Effects:** Not expected to cause mutagenic activity.

**Acute Toxicity:**

The following values are based on OPPTS Test Data:

Oral rat LD50: >2000 mg/kg, Dermal rabbit LD50: >5000 mg/kg, Inhalation rat LC50: >0.55-<2.33 mg/L/4hr (as mist)

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:**

Ethanol: 96 hr LC50 Fathead minnow: 14.2 g/L, 48 hr LC50 Ceriodaphnia dubia: 5012 mg/L

Isopropanol: 96 hr LC50 Bluegill (Lepomis macrochirus) : >1400 mg/L, 48 hr EC50 Daphnia: 13299 mg/L, 72 hr IC50 Algae: 1000 mg/L

Didecyl dimethyl ammonium chloride: 96 hr LC50 Zebrafish: 0.49 mg/L, 48 hr EC50 Daphnia magna: 0.057 mg/L (M-Factor Acute: 10)

This product is expected to be harmful to the aquatic environment. Releases to the environment should be avoided.

**Persistence and Degradability:** Didecyl dimethyl ammonium chloride: Readily biodegradable- 85% after 14 days.

**Bioaccumulative Potential:** No data available

**Mobility in Soil:** No data available

**Other Adverse Effects:** None known.

**13. DISPOSAL CONSIDERATIONS**

**Towelette Disposal:** Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet.

**Package Disposal:** Put empty packet in trash collection.

**Dispenser or Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Rinse and offer for recycling. If recycling is not available, put in trash collection.

**Refillable Dispenser or Container Disposal:** Rinse cracked or broken containers and offer for recycling. If recycling is not available, discard in trash.

Empty containers or liners may retain some product residues. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. This material and its container must be disposed of in a safe manner. Dispose in accordance with all local, state and federal regulations.

**14. TRANSPORT INFORMATION**

For single packets containing <10mL of of Saturant:

|               | UN Number | Proper shipping name                                | Hazard Class | Packing Group | Environmental Hazard |
|---------------|-----------|---|--------------|---------------|----------------------|
| <b>US DOT</b> |           | Not Regulated (49 CFR 172.102 Special Provision 47) |              |               | Not applicable       |
| <b>IMDG</b>   |           | Not Regulated (Special Provision 216)               |              |               | Not applicable       |
| <b>IATA</b>   |           | Not Regulated (Special Provision A46)               |              |               | Not applicable       |

For single packets or canisters containing >10mL of Saturant:

|               | UN Number | Proper shipping name  | Hazard Class | Packing Group | Environmental Hazard |
|---------------|-----------|---|--------------|---------------|----------------------|
| <b>US DOT</b> | UN3175    | Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol) | 4.1          | II            | Not applicable       |
| <b>IMDG</b>   | UN3175    | Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol) | 4.1          | II            | Not applicable       |
| <b>IATA</b>   | UN3175    | Solids containing flammable liquid, n.o.s. (Isopropyl Alcohol, Ethyl Alcohol) | 4.1          | II            | Not applicable       |

\* Note: Packages that meet the limited quantity provisions of the various modal regulations may be shipped as Limited Quantities.

**Special precautions:** None known

**15. REGULATORY INFORMATION**

**Safety, Health, and Environmental Regulations Specific for the Product In Question:**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**FIFRA Labeling:**

**Keep Out Of Reach of Children  
WARNING**

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

WARNING. Causes substantial but temporary eye damage. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**Physical or chemical Hazard**

Flammable. Keep away from heat and open flame.

**CERCLA 103 Reportable Quantity:** This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

**SARA TITLE III:**

**Hazard Category for Section 311/312:** Acute Health, Fire Hazard

**Section 313 Toxic Chemicals:** This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

**Section 302 Extremely Hazardous Substances (TPQ):** None

**EPA Toxic Substances Control Act (TSCA) Status:** This product is a EPA Registered product #9480-12. However, all of the ingredients of this product are listed on the TSCA inventory.

**STATE REGULATIONS:**

**California Proposition 65:** This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**Massachusetts RTK:** Ethyl Alcohol and Isopropanol are listed.

**Pennsylvania RTK:** Ethyl Alcohol and Isopropanol are listed.

**Rhode Island RTK:** Ethyl Alcohol and Isopropanol are listed.

**New Jersey RTK:** Ethyl Alcohol and Isopropanol are listed.

**CANADIAN REGULATIONS**

**Canadian Environmental Protection Act:** All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

**16. OTHER INFORMATION**

**HMIS Ratings:** Health – 2

Flammability – 3

Physical Hazard - 0

**NFPA Ratings:** Health – 2

Flammability – 3

Instability – 0

**SDS Revision History:** Reformatted SDS.

**Date of preparation:** June 1, 2017

**Date of last revision:** April 27, 2017

Federal Standard No. 313 Addendum

- Contract Number: 47QSWA23D003Z
- Contractor Name: McKesson Medical-Surgical Government Solutions LLC
- Contractor Cage Code: 1EU19
- Manufacturer: Professional Disposables International, Inc.
- Manufacturer Cage Code: 52HX0
- Special Item Number: 325612